

FCC-DOC COMPLIANCE REPORT

Test Report No.: EM/2010/50119

Applicant : Fa Da Tong Technology Co., Ltd.

 Address of Applicant : 10F-5, No. 880, Chung Cheng Rd., Chung-Ho City(235),
 Taipei County, Taiwan

Manufacturer : Fa Da Tong Technology Co., Ltd.

 Address of Manufacturer : 10F-5, No. 880, Chung Cheng Rd., Chung-Ho City(235),
 Taipei County, Taiwan

Equipment Under Test (EUT) :

Product Name: Wireless Charger

Brand Name : N/A

Model No. : FDT iPhone Wireless Charger

Added Model(s) : N/A

Standards : FCC Part 15:2008, Subpart B, Class B

Date of Receipt : May 25, 2010

Date of Test : May 25 ~ 26, 2010

Date of Issue : May 31, 2010




Test Result :	PASS
----------------------	-------------

In the configuration tested, the EUT complied with the standards specified above.

Remarks :

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report shall not be reproduced except in full, without the written approval of the laboratory. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards.

Test By:	 <hr/> Keno Hsu(Engineer)	Date	May 31, 2010 <hr/>
Prepared By:	 <hr/> Jessie Li(Clerk)	Date	May 31, 2010 <hr/>
Approved By	 <hr/> Victor Wen(Assistant Manager)	Date	May 31, 2010 <hr/>

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Contents

1. GENERAL INFORMATION.....	3
1.1 APPLICANT & MANUFACTURER INFORMATION	3
1.2 GENERAL DESCRIPTION OF EUT	3
1.3 DETAILS OF EUT	3
1.4 OPERATION PROCEDURE	3
1.5 DESCRIPTION OF SUPPORT UNITS	3
1.6 MODIFICATION LIST	3
1.7 CABLE LIST	4
1.8 TEST SET-UP CONFIGURATION	4
1.9 MEASUREMENT PROCEDURE	4
1.10 STANDARDS APPLICABLE FOR TESTING	5
1.11 SUMMARY OF RESULTS.....	5
2. RADIO DISTURBANCE	6
2.1 TEST RESULTS	6
2.2 FREQUENCY RANGE.....	6
2.3 LIMITS OF CONDUCTED AND RADIATED EMISSION.....	6
2.3.1 LIMIT OF CONDUCTED EMISSION OF FCC PART 15, SUBPART B/CISPR 22	6
2.3.2 LIMIT OF RADIATED EMISSIONS OF FCC PART 15, SUBPART B/CISPR 22	7
2.4. TEST OF CONDUCTED EMISSION.....	8
2.4.1 TEST EQUIPMENTS.....	8
2.4.2 TEST SITE.....	8
2.4.3 OPERATING ENVIRONMENT.....	8
2.4.4 MEASUREMENT DATA	9
3. PHOTOGRAPHS OF TEST.....	15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1. General Information

1.1 Applicant & Manufacturer Information

Applicant : Fa Da Tong Technology Co., Ltd.

Address of Applicant : 10F-5, No. 880, Chung Cheng Rd., Chung-Ho City(235),
Taipei County, Taiwan

Manufacturer : Fa Da Tong Technology Co., Ltd.

Address of Manufacturer : 10F-5, No. 880, Chung Cheng Rd., Chung-Ho City(235),
Taipei County, Taiwan

1.2 General Description of EUT

Product Name: Wireless Charger

Brand Name : N/A

Model No. : FDT iPhone Wireless Charger

Added Model(s) : N/A

Model Difference : N/A

1.3 Details of EUT

Tested Power Supply : AC 120V/60Hz

Modes/Function : Charger mode

Worst case : Charger mode

1.4 Operation Procedure

1. Set down EUT with support units and turn on the power of all equipment.
2. Pre-test the EUT in all modes by each model, then figure the worst case out.
3. Tests under the normal operation pattern.

1.5 Description of Support Units

PRODUCT	MANUFACTURER	MODEL NO.	SERIAL NO.
N/A	N/A	N/A	N/A

1.6 Modification List

No modification by SGS Taiwan Electronics & Communication Laboratory.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.7 Cable List

Cable Type	Length	Shield
N/A	N/A	N/A

1.8 Test Set-Up Configuration

Stand alone EUT, put it on test table only.

1.9 Measurement Procedure

Conducted Emission Testing was performed according ANSI C63.4:2003 in a shielded room with peripherals placed on a table, 0.8m high over a metal floor. It was located more than required distance away from the shielded room wall.

Radiated Emission Testing was performed according to ANSI C63.4:2003 at the open field test site. The EUT was placed in a 0.8m high table along with the peripherals. The turn table was separated from the antenna distance 10meters. Cables were placed in a position to produce maximum emissions as determined by experimentation, and operation mode was selected for maximum.

The frequencies and amplitudes of maximum emission were measured at varying azimuths, antenna heights and antenna polarities. Reported are maximized emission levels.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

1.10 Standards Applicable for Testing

Table of tests to be carried out under FCC Part 15, Subpart B

Test Standards	Status
FCC Part 15, Subpart B	Applicable
Deviation from Standard	No Deviation

1.11 Summary of Results

Highest Emission					
Standard	Test Type	Result	Phase/Polar.	Frequency (MHz)	Margin(dB)
FCC Part 15 Subpart B Class B/CISPR 22	Conducted Emission	PASS	Line	2.9490	-2.02(AVG)
			Neutral	2.9490	-2.82(AVG)
	Radiated Emission	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2. Radio Disturbance

2.1 Test Results

	Results
Conducted Emission	Pass
Radiated Emission	N/A

2.2 Frequency Range

Conducted Emission : 150 kHz - 30 MHz

Radiated Emission : 30 MHz - 1000 MHz

2.3 Limits Of Conducted And Radiated Emission

2.3.1 Limit Of Conducted Emission Of FCC Part 15, Subpart B/CISPR 22

FREQUENCY (MHz)	Class A (dBuV)		Class B (dBuV)	
	Quasi - peak	Average	Quasi - peak	Average
0.15 - 0.5	79	66	66 - 56	56 - 46
0.50 - 5.0	73	60	56	46
5.0 - 30.0	73	60	60	50

Note : (1) The lower limit shall apply at the transition frequencies.

(2) The limit decreases linearly with the logarithm of the frequency in the range 0.15 to 0.50 MHz.

(3) All emanation from a class A/B digital device or system, including any network of conductors and apparatus connected there to, shall not exceed the level of field strengths specified above.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.3.2 Limit Of Radiated Emissions Of FCC Part 15, Subpart B/CISPR 22
FCC Limit:

- Detector Function : Quasi – Peak

FREQUENCY (MHz)	Class A (at 10m)	Class B (at 3m) *
	dBuV/m	dBuV/m
30~88	39	40
88~216	43.5	43.5
216~960	46.44	46
Above 960	49.54	54

- Detector Function : Peak , Average

FREQUENCY (MHz)	Class A (dBuV) (at 3m)		Class B (dBuV) (at 3m)	
	Peak	Average	Peak	Average
Above 1000	79.3	59.3	73.9	53.9

CISPR Limit:

- Detector Function : Quasi – Peak

FREQUENCY (MHz)	Class A (at 10m)	Class B (at 10m) *
	dBuV/m	dBuV/m
30-230	40	30
230-1000	47	37

- Detector Function : Peak , Average – Class A

Frequency range GHz	Average Limit dB(μV/m)	Peak Limit dB(μV/m)
1 to 3	56	76
3 to 6	60	80

- Detector Function : Peak , Average – Class B

Frequency range GHz	Average Limit dB(μV/m)	Peak Limit dB(μV/m)
1 to 3	50	70
3 to 6	54	74

Note : The lower limit applies at the transition frequency.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.4. Test of Conducted Emission

2.4.1 Test Equipments

Description	Manufacturer	Model No.	Serial No.	Last Calibration Date	Next Calibration Date
EMI Test Receiver	ROHDE&SCHWARZ	ESCS 30	828985/004	Sep. 15, 2009	Sep. 14, 2010
Coaxial Cables	N/A	WK CE Cable	N/A	Nov. 28, 2009	Nov. 27, 2010
L.I.S.N	Rolf-Heine	NNB-2/16Z	99012	Mar. 30, 2010	Mar. 29, 2011
L.I.S.N	FCC	FCC-LISN-50/250-25-2-01	04034	Mar. 30, 2010	Mar. 29, 2011

2.4.2 Test Site

SGS Taiwan LTD. Electronics & Communication Laboratory
 No.134, Wu Kung Road. Wuku Industrial Zone, Taipei County 248, Taiwan (R.O.C.)

2.4.3 Operating Environment

Temperature : 24 degree C

Humidity : 58 %RH

Atmospheric Pressure : 996 mBar


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2.4.4 Measurement Data

Charger(Adapter KSAS0100900100HU)

L:



No.	Mk.	Freq. (MHz)	Reading Level (dBuV)	Factor (dB)	Measurement (dBuV)	Limit (dBuV)	Over (dB)	Detector	Comment
1	*	0.1995	52.00	0.12	52.12	63.63	-11.51	QP	
2		0.1995	37.90	0.12	38.02	53.63	-15.61	AVG	
3		0.2950	48.65	0.12	48.77	60.38	-11.61	QP	
4		0.3850	42.05	0.12	42.17	58.17	-16.00	QP	
5		2.6700	43.12	0.17	43.29	56.00	-12.71	QP	
6		3.2300	42.46	0.18	42.64	56.00	-13.36	QP	
7		3.6600	42.19	0.19	42.38	56.00	-13.62	QP	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

N:



臺灣檢驗科技股份有限公司-電子暨通訊服務部
台北縣五股工業區五工路134號
電話：(02) 22993279 傳真：(02) 22982698

Conducted Emission Measurement



Site SGS CONDUCTED #1 Phase: **N** Temperature: 24 °C
Limit: FCC Class B Conduction(QP) Power: AC 120V/60Hz Humidity: 58 %
EUT: Wireless Charger
M/N: FDT iPhone Wireless Charger
Note: Charger (Adapter KSAS0100900100HU)

No.	Mk.	Freq.	Reading Level	Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1	*	0.2000	52.11	0.13	52.24	63.61	-11.37	QP	
2		0.2800	48.44	0.12	48.56	60.82	-12.26	QP	
3		2.1100	41.24	0.16	41.40	56.00	-14.60	QP	
4		2.3900	42.44	0.17	42.61	56.00	-13.39	QP	
5		2.6700	43.78	0.17	43.95	56.00	-12.05	QP	
6		3.2300	43.08	0.18	43.26	56.00	-12.74	QP	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Charger(Adapter PA1008-2HU)

L:



臺灣檢驗科技股份有限公司-電子暨通訊服務部
台北縣五股工業區五工路134號
電話：(02) 22993279 傳真：(02) 22982698

Conducted Emission Measurement



Site SGS CONDUCTED #1 Phase: **L1** Temperature: 24 °C
Limit: FCC Class B Conduction(QP) Power: AC 120V/60Hz Humidity: 58 %
EUT: Wireless Charger
M/N: FDT iPhone Wireless Charger
Note: Charger (Adapter PA1008-2HU)

No.	Mk.	Freq.	Reading Level	Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.1550	52.75	0.14	52.89	65.73	-12.84	QP	
2		1.8600	44.12	0.15	44.27	56.00	-11.73	QP	
3		2.4306	44.50	0.17	44.67	56.00	-11.33	QP	
4		2.4306	41.60	0.17	41.77	46.00	-4.23	AVG	
5		3.0000	45.68	0.18	45.86	56.00	-10.14	QP	
6		3.8596	45.30	0.20	45.50	56.00	-10.50	QP	
7	*	3.8596	42.00	0.20	42.20	46.00	-3.80	AVG	
8		4.4330	44.90	0.21	45.11	56.00	-10.89	QP	
9		4.4330	41.30	0.21	41.51	46.00	-4.49	AVG	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

N:



臺灣檢驗科技股份有限公司-電子暨通訊服務部
台北縣五股工業區五工路134號
電話：(02) 22993279 傳真：(02) 22982698

Conducted Emission Measurement



Site: SGS CONDUCTED #1
Limit: FCC Class B Conduction(QP)
EUT: Wireless Charger
M/N: FDT iPhone Wireless Charger
Note: Charger (Adapter PA1008-2HU)

Phase: N
Power: AC 120V/60Hz
Temperature: 24 °C
Humidity: 58 %

No.	Mk.	Freq. MHz	Reading Level dBuV	Factor dB	Measurement dBuV	Limit		Detector	Comment
						dBuV	dB		
1		0.1550	55.56	0.14	55.70	65.73	-10.03	QP	
2		2.4300	45.40	0.17	45.57	56.00	-10.43	QP	
3		3.0000	45.24	0.18	45.42	56.00	-10.58	QP	
4		3.8612	44.70	0.20	44.90	56.00	-11.10	QP	
5	*	3.8612	40.80	0.20	41.00	46.00	-5.00	AVG	
6		4.4336	43.90	0.21	44.11	56.00	-11.89	QP	
7		4.4336	39.50	0.21	39.71	46.00	-6.29	AVG	
8		4.7200	45.12	0.21	45.33	56.00	-10.67	QP	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Charger(Adapter PA1008-2FU)

L:



臺灣檢驗科技股份有限公司-電子暨通訊服務部
台北縣五股工業區五工路134號
電話：(02) 22993279 傳真：(02) 22982698

Conducted Emission Measurement



Site: SGS CONDUCTED #1 Phase: **L1** Temperature: 24 °C
Limit: FCC Class B Conduction(QP) Power: AC 120V/60Hz Humidity: 58 %
EUT: Wireless Charger
M/N: FDT iPhone Wireless Charger
Note: Charger (Adapter PA1008-2FU)

No.	Mk.	Freq.	Reading Level	Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.3345	50.00	0.12	50.12	59.34	-9.22	QP	
2		0.3345	39.60	0.12	39.72	49.34	-9.62	AVG	
3		0.7290	44.50	0.12	44.62	56.00	-11.38	QP	
4		0.7290	31.20	0.12	31.32	46.00	-14.68	AVG	
5		0.9893	42.10	0.12	42.22	56.00	-13.78	QP	
6		0.9893	34.70	0.12	34.82	46.00	-11.18	AVG	
7		2.9490	47.50	0.18	47.68	56.00	-8.32	QP	
8	*	2.9490	43.80	0.18	43.98	46.00	-2.02	AVG	
9		4.2114	47.40	0.20	47.60	56.00	-8.40	QP	
10		4.2114	43.10	0.20	43.30	46.00	-2.70	AVG	
11		4.7742	48.20	0.22	48.42	56.00	-7.58	QP	
12		4.7742	42.80	0.22	43.02	46.00	-2.98	AVG	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

N:



臺灣檢驗科技股份有限公司-電子暨通訊服務部
台北縣五股工業區五工路134號
電話：(02) 22993279 傳真：(02) 22982698

Conducted Emission Measurement



Site: SGS CONDUCTED #1 Phase: N Temperature: 24 °C
Limit: FCC Class B Conduction(QP) Power: AC 120V/60Hz Humidity: 58 %
EUT: Wireless Charger
M/N: FDT iPhone Wireless Charger
Note: Charger (Adapter PA1008-2FU)


No.	Mk.	Freq.	Reading Level	Factor	Measurement	Limit	Over	Detector	Comment
		MHz	dBuV	dB	dBuV	dBuV	dB		
1		0.3295	50.40	0.12	50.52	59.46	-8.94	QP	
2		0.3295	41.10	0.12	41.22	49.46	-8.24	AVG	
3		0.5291	42.20	0.12	42.32	56.00	-13.68	QP	
4		0.5291	30.30	0.12	30.42	46.00	-15.58	AVG	
5		0.6507	42.60	0.12	42.72	56.00	-13.28	QP	
6		0.6507	32.00	0.12	32.12	46.00	-13.88	AVG	
7		0.7295	43.60	0.13	43.73	56.00	-12.27	QP	
8		0.7295	29.50	0.13	29.63	46.00	-16.37	AVG	
9		2.9490	47.60	0.18	47.78	56.00	-8.22	QP	
10	*	2.9490	43.00	0.18	43.18	46.00	-2.82	AVG	
11		4.4934	48.50	0.21	48.71	56.00	-7.29	QP	
12		4.4934	42.00	0.21	42.21	46.00	-3.79	AVG	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3. Photographs of Test

CE:





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



**** End of Report ****

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.